	-	UTAH OIL AND GAS CONSERVATION COMMISSION					- M			
REMARKS: WELL LOG	ELE	CTRIC LOGS_	FILE	Χ	WATER SANDS	LOCAT	ION INSPECTI	D	SUB. REPORT/abd.	
				·						
							1			
DATE FILED	10-3-83									
LAND: FEE & PATENTED	STATE L	EASE NO.	ML-398	68		PUBLIC LEASE NO.			INDIAN	
DRILLING APPROVED:	10-4-83	GAS	CAUSE #	206-	-1	-		-		
SPUDDED IN:										
COMPLETED:		PUT T	O PRODUCING:							
INITIAL PRODUCTION:										
GRAVITY A.P.J.										
GOR:										
PRODUCING ZONES:										
TOTAL DEPTH:							-			
WELL ELEVATION:	6548	7 16R								
DATE ABANDONED:	1.16.8	5 LA	We	da	ure a	rilled				
FIELD:	WILDGAT	3/8	6 Un	تعفلم	ignat	28				
UNIT:		<u> </u>			0					
COUNTY:	UINTAH					· · · · · · · · · · · · · · · · · · ·				
WELL NO.	<b>EVACUAT</b>	ION CRI					API		47-31386	
LOCATION 1819	FNL F	T. FROM (N) (S	3) LINE, $1$	218'	FWL	FT. FROM (E) (W)	LINE.	SW NW	1/4 - 1/4 SEC	36
TWP. RGE.	SEC.	OPERATOR				TWP.	RGE.	SEC.	OPERATOR	
						11S	25E	36	TXO PRODUCTION	CORPORATION



#### TXO PRODUCTION CORP.

1800 LINCOLN CENTER BUILDING DENVER, COLORADO 80264

TELEPHONE (303) 861-4246

September 27, 1983

State of Utah Division of Oil, Gas and Mining 4241 State Office Building Salt Lake City, Utah 84114

Attn: Mr. Norm Stout

Re: TIGHT HOLE

Evacuation Creek State #4 Section 36-T11S-R25E Uintah County, Utah

#### Gentlemen:

Enclosed is an Application for Permit to Drill for the referenced well, submitted in triplicate. Also enclosed are copies of the survey plat, blow out preventer diagram, rig lay-out diagram, and a topographic map showing access to the proposed well location.

TXO Production Corp. has an approved Application to Appropriate Water, Temporary Application 58677 (49-1244), from the Utah State Engineers for use of water from Evacuation Creek. In the event the stream flow from Evacuation Creek is inadequate to furnish the water required for drilling this well, it is anticipated water will be brought in from a commercial source in Colorado.

If you have any questions, please contact me at this office.

Very truly yours,

TXO PRODUCTION CORP.

Paul Urban

**Environmental Scientist** 

PU/gm

Enclosures/as stated



Size of Hole

12 1/4"

<u> 3/4 - 7 7/8"</u>

Size of Casing

5/8"

## STATE OF UTAH


(Other instructions on reverse side)

**DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS, AND MINING 5. Lease Designation and Serial No. ML-39868 6. If Indian, Allottee or Tribe Name APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. Type of Work 7. Unit Agreement Name DRILL X DEEPEN | PLUG BACK b. Type of Well Oil Well 8. Farm or Lease Name Single Zone Multiple Zone Gas Well X Other 2. Name of Operator Evacuation Creek State 9. Well No. TXO Production Corp. Paul Urban Attn: 3. Address of Operator 10. Field and Pool, or Wildcat 1800 Lincoln Center Building, Denver, Colorado 80264 Location of Well (Report location clearly and in accordance with any State requirements.\*
 At surface
 West Devil' e Hole 11. Sec., T., R., M., or Blk. and Survey or Area 1819' FNL, 1218' FWL Section 36-T11S-R25E At proposed prod. zone Sec. 36-T11S-R25E 14. Distance in miles and direction from nearest town or post office\* 12. County or Parrish 13. State Approximately 23 miles southeast of Bonanza, Utah. Uintah County, Utah 15. Distance from proposed\*
location to nearest
property or lease line, ft.
(Also to nearest drlg. line, if any) 17. No. of acres assigned to this well 16. No. of acres in lease 863.4 160 1218' Distance from proposed location\* to nearest well, drilling, completed, or applied for, on this lease, ft. 20. Rotary or cable tools 19. Proposed depth Rotary 21. Elevations (Show whether DF, RT, GR, etc.) 22. Approx. date work will start\* 6548' GR November 1, 1983 PROPOSED CASING AND CEMENTING PROGRAM

Setting Depth

350**'** 

9150'



Quantity of Cement

200 sacks

300 sacks

Weight per Foot

11.6# (N-80)

36#

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24.

Signed R. E. Dashner	Title District Drilling Manager	Date. 9/28/83
(This space for Federal or State office use)  Permit No	Approval Date	
Approved by	Title	Date

NW Cor. Sec. 25, TIIS, R25E, S.L.B.&M. TIIS , R 25 E , S.L.B.&M. EAST Lot 2 Lot 1 108 . 26 Lot 3 Lot 4 Lot 7 Lot 8 Lot 6 EVACUATION CREEK STATE # 4 1218 Elev. Ungraded Ground - 6548 (Comp.) 194 3/4 M. - 36 -Lot 9 Lot 10 Lot II Lot 12 Lot 15 Lot 16 Lot 14 Lot 13 107 .87 EAST

X = Section Comers Located

### TXO PRODUCTION CORP.

Well location, EVACUATION CREEK STATE # 4, located as shown in SWI/4 NWI/4 Section 36, TIIS, R25E, S.L.B.&M. Uintah County, Utah.

NOTE: Basis of Bearings is from Solar Observations of the Sun.




#### CERTIFICATE


THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION № 3154
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

Elitable Communication				
SCALE	1" = 1000'		DATE	8/15/83
PARTY	RT DK	RP	REFERENCES	GLO Plat
WEATHER	Clear / Hot		FILE	тхо








EXHIBIT I
BLOWOUT PREVENTER DIAGRAM

# ZONFIDENTIAL

OPERATOR	TXO PA	DUCTION	CORP		DATE /0-	1-83
WELL NAM	E EVACU	ATION CA	EEK STATE	= 44		
SEC SW	! NW 36	T //5	R 256	COUNTY	UIKTAH	
4	13-047- API N	-31386 UMBER		L	ATE E OF LEASE	
POSTING	CHECK OFF:					
	INDEX		MAP			HL
	NID					PI
PROCESSI	NG COMMENTS:	UELLS W	THIN ZOL			
	WATER O				OVED BY TH	E STATE
		AR SECTIO		OF OII	UTAH DIVISI GAS. AND A	ON OF
	THE COLLEGE			DATE		3
CHIEF PE	TROLEM PAGIN	PLO UNIT	R GRETTO Wicheles COMMENTED LUIC	NW/4 A	L.36. UKHOPN S	ANDS ONLY.)
APPROVAL	LETTER:					1 /
SPACING:	A-3	UNIT		c-3-a	Z06-1 CAUSE NO. 1	8-76-8 DATE
	c-3-	b		c-3-c	<b>:</b>	
SPECIAL	LANGUAGE:					
						Andrew Commence of the Commenc
						enter en
***************************************			·			
				<del></del>		

RECONCILE WELL NAME AND LOCATION ON	APD ACAINST SAME DATA ON PLAT MAP.
AUTHENTICATE LEASE AND OPERATOR INFO	DRMATION
VERIFY ADEQUATE AND PROPER BONDING	BLANKED
AUTHENTICATE IF SITE IS IN A NAMED	FIELD, ETC.
APPLY SPACING CONSIDERATION	
ORDER 286-/	
c-3-b	APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING DATE: BY:
CHECK DISTANCE TO NEAREST WELL.	
CHECK OUTSTANDING OR OVERDUE REPORT	S FOR OPERATOR'S OTHER WELLS.
IF POTASH DESIGNATED AREA, SPECIAL	LANGUAGE ON APPROVAL LETTER
IF IN OIL SHALE DESIGNATED AREA, SI	PECIAL APPROVAL LANGUACE.

( )

#### October 4, 1983

TXO Production Corporation 1800 Lincoln Center Bldg. Denver, Colorado 80264

> RE: Well No. Evacuation Creek State # 4 SN NW, Sec. 36, T. 11S, R. 25E 1819' FNL, 1218' FWL Uintah County, Utah

#### Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with the Order issued in Amended Cause No. 206-1, dated 8-26-83.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following.

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OCC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31386.

Sincerely.


Norman C. Stout

Administrative Assistant

NCS/cf

cc: State Lands & Forestry


Enclosures



#### TXO PRODUCTION CORP.

1800 LINCOLN CENTER BUILDING DENVER, COLORADO 80264

TELEPHONE (303) 861-4246



January 12, 1984

DIVISION OF OIL, GAS & MINING

edane Cables

State of Utah Natural Resources & Energy Oil, Gas & Mining 4241 State Office Building Salt Lake City, Utah 84114

Dear Ms. Call:

Please keep the logs and records from the following wells confidential:

TXO Coyote Basin Federal #1 Sec. 5-T8S-R25E, Uintah County, Utah

TXO Little Berry State #1 Sec. 2-T16S-R23E, Grand County, Utah

TXO Evacuation Creek State #1 Sec. 36-T11S-R25E, Uintah County, Utah

You can release all other TXO-operated wells on which you currently have logs and wellfiles. However, this does not apply to TXO-operated wells spudded after today (January 12, 1984). The confidentiality of TXO-operated wells which are spudded after today will be determined by a letter from our engineering department.

Sincerely,

TXO PRODUCTION CORP.

William A. Siruta

District Exploration Manager

WAS/cjd

xc: Ron Dashner Bruce Wright

EMUL






#### TXO PRODUCTION CORP.

1800 LINCOLN CENTER BUILDING DENVER, COLORADO 80264

TELEPHONE (303) 861-4246

December 19,1984



OIL, GAS & MINING

State of Utah
Division of Oil, Gas & Mining
4241 State Office Building
Salt Lake City, Utah 84114

Re: Evacuation Creek

State #2, #3, #4, #5 Section 36-THS-R25E Uintah County, Utah

#### Gentlemen:

TXO Production Corp. hereby notifies the Division of Oil, Gas, and Mining that plans for drilling the above referenced wells have been dropped. If plans are made to drill these wells, a new application to drill permit will be filed.

If you have any questions, please contact me at this office.

Very truly yours,

TXO PRODUCTION CORP.

Terry Z. Blankenship Environmental Scientist

TLB/jy

A SUBSIDIARY OF BELLAS
OIL & GAS CORP.



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dianne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 16, 1985

TXO Production Corporation 1800 Lincoln Center Building Denver, Colorado 80264

#### Gentlemen:

Re: Well No. Evacuation Creek St. #4 - Sec. 36, T. 11S., R. 25E. Uintah County, Utah - API #43-047-31386

In response to your letter of December 19, 1984, approval to drill the above referred to well is hereby rescinded.

A new "Application for Permit to Drill" must be filed with this office for approval, prior to future drilling of the subject location.

Sincerely,

Jøhn R. Baza

Metroleum Engineer

cc: Dianne R. Nielson

Ronald J. Firth

File

00045/03